


PHP MOCK TEST

This section presents you various set of Mock Tests related to **PHP**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



PHP MOCK TEST

Q 1 - Which of the following type of variables have only two possible values either true or false?

- A - Integers
- B - Doubles
- C - Booleans
- D - Strings

Q 2 - Which of the following type of variables are special type that only has one value: NULL?

- A - Strings
- B - Doubles
- C - Booleans
- D - NULL

Q 3 - Which of the following type of variables are sequences of characters, like 'PHP supports string operations.'?

- A - Strings
- B - Arrays
- C - Objects
- D - Resources

Q 4 - Which of the following type of variables are named and indexed collections of other values?

- A - Strings
- B - Arrays
- C - Objects
- D - Resources

Q 5 - Which of the following type of variables are instances of programmer-defined classes?

- A - Strings
- B - Arrays
- C - Objects
- D - Resources

Q 6 - Which of the following type of variables are special variables that hold references to resources external to PHP (such as database connections)?

- A - Strings
- B - Arrays
- C - Objects
- D - Resources

Q 7 - Which of the following is correct about variable naming rules?

- A - Variable names must begin with a letter or underscore character.
- B - A variable name can consist of numbers, letters, underscores.
- C - you cannot use characters like + , - , % , (,) . & , etc in a variable name.
- D - All of the above.

Q 8 - Which of the following is correct about determine the "truth" of any value not already of the Boolean type?

- A - If the value is a number, it is false if exactly equal to zero and true otherwise.
- B - If the value is a string, it is false if the string is empty (has zero characters) or is the string "0", and is true otherwise.
- C - Values of type NULL are always false.
- D - All of the above.

Q 9 - Which of the following is correct about determine the "truth" of any value not already of the Boolean type?

A - If the value is an array, it is false if it contains no other values, and it is true otherwise. For an object, containing a value means having a member variable that has been assigned a value.

B - Valid resources are true (although some functions that return resources when they are successful will return FALSE when unsuccessful).

C - Don't use double as Booleans.

D - All of the above.

Q 10 - Which of the following is correct about NULL?

A - NULL is a special type that only has one value: NULL.

B - The special constant NULL is capitalized by convention, but actually it is case insensitive.

C - Both of the above.

D - None of the above.

Q 11 - Which of the following is correct about NULL?

A - A variable that has been assigned NULL evaluates to FALSE in a Boolean context.

B - A variable that has been assigned NULL returns FALSE when tested with IsSet() function.

C - Both of the above.

D - None of the above.

Q 12 - Which of the following is correct about constants?

A - To define a constant you have to use define() function.

B - To retrieve the value of a constant, you have to simply specify its name.

C - Both of the above.

D - None of the above.

ANSWER SHEET

Question Number	Answer Key
1	C
2	D
3	A

4	B
5	C
6	D
7	D
8	D
9	D
10	C
11	C
12	C